

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





25B252  
A145

S

**U. S. DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service - Cotton Program**  
**Memphis, Tennessee**


# **UNITED STATES**

## **Cotton Quality Report**

2003 NOV 19 A 12:21  
USDA  
NAT'L AGRIC LIBRARY

2003 NOV 19 A 12:21

USDA  
NAT'L AGRIC LIBRARY



**Classings Through October 30, 2003**

**VOL. 77, NO. 2**

**November 3, 2003**



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 3, 2003

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	63	1,000	5,241	15,446	30,048	61,786	89,107	202,691
	3	-	36	298	1,853	6,748	17,708	57,921	117,621	202,185
	4	-	1	21	137	454	1,089	3,108	7,383	12,193
	5	-	-	-	8	8	18	36	117	187
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	<b>100</b>	<b>1,319</b>	<b>7,239</b>	<b>22,656</b>	<b>48,863</b>	<b>122,852</b>	<b>214,228</b>	<b>417,257</b>
31	1-2	-	-	128	748	2,628	8,871	26,419	38,526	77,320
	3	-	8	201	1,454	6,547	36,618	286,348	767,486	1,098,662
	4	-	1	46	361	1,899	7,383	64,354	252,251	326,295
	5	-	1	5	52	151	478	2,590	10,187	13,464
	6	-	-	-	1	10	28	95	217	351
	7	-	-	-	1	1	4	6	3	15
	<b>TOTAL----</b>	-	<b>10</b>	<b>380</b>	<b>2,617</b>	<b>11,236</b>	<b>53,382</b>	<b>379,812</b>	<b>1,068,670</b>	<b>1,516,107</b>
41	1-2	-	-	12	112	506	1,424	3,183	4,050	9,287
	3	-	-	17	388	2,685	15,311	98,017	253,544	369,962
	4	-	-	14	147	1,106	6,864	52,529	208,171	268,831
	5	-	-	7	48	326	1,362	4,897	19,557	26,197
	6	-	-	-	21	27	175	392	872	1,487
	7	-	-	-	18	20	36	88	72	234
	<b>TOTAL----</b>	-	-	<b>50</b>	<b>734</b>	<b>4,670</b>	<b>25,172</b>	<b>159,106</b>	<b>486,266</b>	<b>675,998</b>
51	1-2	-	-	-	4	14	55	88	149	310
	3	-	-	-	17	146	778	2,528	5,148	8,617
	4	-	-	-	5	106	701	2,983	7,048	10,843
	5	-	-	-	-	22	167	651	1,140	1,980
	6	-	-	-	1	4	23	83	98	209
	7	-	-	-	-	6	16	28	34	84
	<b>TOTAL----</b>	-	-	-	<b>27</b>	<b>298</b>	<b>1,740</b>	<b>6,361</b>	<b>13,617</b>	<b>22,043</b>
61	1-2	-	-	-	-	-	1	3	1	5
	3	-	-	-	1	2	14	22	31	70
	4	-	-	-	-	-	5	21	37	63
	5	-	-	-	-	-	1	7	9	17
	6	-	-	-	-	-	-	1	1	2
	7	-	-	-	-	-	-	-	1	1
	<b>TOTAL----</b>	-	-	-	<b>1</b>	<b>2</b>	<b>21</b>	<b>54</b>	<b>80</b>	<b>158</b>
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	1	-	3	4
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	1	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	<b>1</b>	-	<b>4</b>	<b>5</b>
12 & 22	1-2	-	70	599	1,406	2,648	4,026	4,540	3,540	16,829
	3	1	14	192	903	3,189	5,357	6,242	5,270	21,168
	4	-	3	21	144	341	632	862	818	2,821
	5	-	-	-	1	4	29	27	42	103
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>1</b>	<b>87</b>	<b>812</b>	<b>2,454</b>	<b>6,182</b>	<b>10,044</b>	<b>11,671</b>	<b>9,670</b>	<b>40,921</b>
32	1-2	-	16	137	452	841	1,108	1,301	981	4,836
	3	-	16	191	1,232	3,753	5,847	11,544	13,552	36,135
	4	-	1	78	579	1,943	4,011	6,874	10,902	24,388
	5	-	-	15	84	330	651	668	1,371	3,119
	6	-	-	-	-	17	27	20	49	113
	7	-	-	-	1	10	2	4	-	17
	<b>TOTAL----</b>	-	<b>33</b>	<b>421</b>	<b>2,348</b>	<b>6,894</b>	<b>11,646</b>	<b>20,411</b>	<b>26,855</b>	<b>68,608</b>
42	1-2	-	-	2	20	69	223	436	366	1,116
	3	-	1	34	360	1,535	4,019	10,643	13,694	30,286
	4	-	-	17	389	1,994	4,164	10,316	21,016	37,896
	5	-	-	6	70	557	1,359	2,078	3,977	8,047
	6	-	-	4	3	35	123	138	228	531
	7	-	-	-	2	16	15	20	25	78
	<b>TOTAL----</b>	-	<b>1</b>	<b>63</b>	<b>844</b>	<b>4,206</b>	<b>9,903</b>	<b>23,631</b>	<b>39,306</b>	<b>77,954</b>
52	1-2	-	-	-	1	1	21	31	34	88
	3	-	-	1	20	146	595	1,578	1,933	4,273
	4	-	-	-	18	117	697	2,336	4,280	7,448
	5	-	-	-	3	33	135	606	990	1,767
	6	-	-	-	-	-	7	71	78	156
	7	-	-	-	-	-	-	-	5	5
	<b>TOTAL----</b>	-	-	<b>1</b>	<b>42</b>	<b>297</b>	<b>1,455</b>	<b>4,622</b>	<b>7,320</b>	<b>13,737</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 3, 2003

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	-	4	2	6
	3	-	-	-	-	23	62	51	53	189
	4	-	-	-	-	2	37	65	78	182
	5	-	-	-	-	1	14	60	56	131
	6	-	-	-	-	1	3	15	11	30
	7	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	<b>27</b>	<b>116</b>	<b>195</b>	<b>200</b>	<b>538</b>
13 & 23	1-2	-	6	29	96	97	188	117	142	675
	3	-	2	4	63	170	432	358	242	1,271
	4	-	-	1	7	25	70	66	56	225
	5	-	-	-	-	1	2	2	1	6
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	<b>8</b>	<b>34</b>	<b>166</b>	<b>293</b>	<b>692</b>	<b>544</b>	<b>441</b>	<b>2,178</b>
33	1-2	-	2	5	39	83	105	129	95	458
	3	-	2	13	85	241	409	728	1,119	2,597
	4	-	-	11	39	161	385	398	425	1,419
	5	-	-	3	23	113	79	89	49	356
	6	-	-	1	-	18	7	6	1	33
	7	-	-	-	-	1	2	-	-	3
<b>TOTAL----</b>		-	<b>4</b>	<b>33</b>	<b>186</b>	<b>617</b>	<b>987</b>	<b>1,350</b>	<b>1,689</b>	<b>4,866</b>
43	1-2	-	-	-	2	7	16	69	68	162
	3	-	-	-	20	81	260	702	1,380	2,443
	4	-	-	1	16	95	249	780	1,477	2,618
	5	-	-	1	11	47	88	160	219	526
	6	-	-	-	-	28	14	32	12	86
	7	-	-	-	-	-	5	2	1	8
<b>TOTAL----</b>		-	-	<b>2</b>	<b>49</b>	<b>258</b>	<b>632</b>	<b>1,745</b>	<b>3,157</b>	<b>5,843</b>
53	1-2	-	-	-	-	-	3	1	4	8
	3	-	-	-	1	11	163	321	344	840
	4	-	-	-	2	10	163	677	967	1,819
	5	-	-	-	-	7	22	177	395	601
	6	-	-	-	-	3	6	24	57	90
	7	-	-	-	-	-	1	4	5	10
<b>TOTAL----</b>		-	-	-	<b>3</b>	<b>31</b>	<b>358</b>	<b>1,204</b>	<b>1,772</b>	<b>3,368</b>
63	1-2	-	-	-	-	-	-	-	1	1
	3	-	-	-	-	3	17	30	11	61
	4	-	-	-	-	3	21	105	77	206
	5	-	-	-	-	-	14	128	113	255
	6	-	-	-	-	-	11	51	47	109
	7	-	-	-	-	-	-	1	4	5
<b>TOTAL----</b>		-	-	-	-	<b>6</b>	<b>63</b>	<b>315</b>	<b>253</b>	<b>637</b>
24-54	1-7	-	-	5	18	36	190	458	715	1,422
25-35	1-7	-	-	-	-	-	-	-	1	1
81-85 1/	1-7	-	-	-	6	7	51	158	145	367
All Colors	8 2/	-	-	-	18	31	23	88	100	260
<b>TOTAL, ALL----</b>		<b>1</b>	<b>243</b>	<b>3,120</b>	<b>16,752</b>	<b>57,747</b>	<b>165,339</b>	<b>734,577</b>	<b>1,874,489</b>	<b>2,852,268</b>



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 3, 2003

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	96,418	84,880	75,247	45,094	22,327	3,392	327,358
	3	110,864	90,033	82,753	18,121	6,589	992	309,352
	4	9,921	8,031	6,697	1,360	137	14	26,160
	5	125	127	74	29	1	-	356
	6	-	4	3	1	-	-	8
	7	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>217,328</b>	<b>183,075</b>	<b>164,774</b>	<b>64,605</b>	<b>29,054</b>	<b>4,398</b>	<b>663,234</b>
31	1-2	25,123	16,364	9,116	5,039	2,562	371	58,575
	3	656,808	273,792	110,287	18,437	4,013	598	1,063,935
	4	342,069	173,160	70,633	13,652	1,018	69	600,601
	5	17,090	9,412	4,489	1,076	82	7	32,156
	6	340	169	202	55	6	1	773
	7	3	5	6	-	-	-	14
	<b>TOTAL----</b>	<b>1,041,433</b>	<b>472,902</b>	<b>194,733</b>	<b>38,259</b>	<b>7,681</b>	<b>1,046</b>	<b>1,756,054</b>
41	1-2	2,228	898	461	97	31	1	3,716
	3	208,763	71,686	27,147	3,890	116	3	311,605
	4	285,762	135,523	56,955	11,141	653	9	490,043
	5	39,039	23,411	14,265	3,889	293	3	80,900
	6	1,537	970	945	271	20	-	3,743
	7	75	15	29	13	-	-	132
	<b>TOTAL----</b>	<b>537,404</b>	<b>232,503</b>	<b>99,802</b>	<b>19,301</b>	<b>1,113</b>	<b>16</b>	<b>890,139</b>
51	1-2	100	27	17	1	-	1	146
	3	4,030	1,902	1,357	141	7	-	7,437
	4	7,139	3,755	2,938	486	7	48	14,373
	5	1,568	1,060	938	160	-	-	3,726
	6	175	150	163	29	-	-	517
	7	20	7	2	1	-	-	30
	<b>TOTAL----</b>	<b>13,032</b>	<b>6,901</b>	<b>5,415</b>	<b>818</b>	<b>18</b>	<b>1</b>	<b>26,185</b>
61	1-2	1	2	2	1	-	-	6
	3	34	9	4	2	-	-	49
	4	37	24	21	4	1	-	87
	5	3	11	33	5	-	-	52
	6	8	7	10	1	-	-	26
	7	-	2	1	-	-	-	3
	<b>TOTAL----</b>	<b>83</b>	<b>55</b>	<b>71</b>	<b>13</b>	<b>1</b>	<b>-</b>	<b>223</b>
71	1-2	1	-	-	-	-	-	1
	3	-	-	1	-	-	-	1
	4	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>1</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>
12 & 22	1-2	2,778	1,637	662	252	183	33	5,545
	3	5,048	4,159	3,931	798	140	37	14,113
	4	867	736	705	204	6	-	2,518
	5	35	19	10	5	-	-	69
	6	-	1	-	-	-	-	1
	7	-	-	-	-	-	-	-
	<b>TOTAL----</b>	<b>8,728</b>	<b>6,552</b>	<b>5,308</b>	<b>1,259</b>	<b>329</b>	<b>70</b>	<b>22,246</b>
32	1-2	747	418	221	90	42	19	1,537
	3	11,448	7,069	6,434	1,402	124	17	26,494
	4	11,337	6,698	6,795	2,086	71	11	26,998
	5	1,584	787	455	219	14	1	3,060
	6	49	47	21	16	1	-	134
	7	1	2	-	-	-	-	3
	<b>TOTAL----</b>	<b>25,166</b>	<b>15,021</b>	<b>13,926</b>	<b>3,813</b>	<b>252</b>	<b>48</b>	<b>58,226</b>
42	1-2	140	118	76	13	4	-	351
	3	9,603	5,668	4,319	876	27	3	20,496
	4	20,348	10,007	9,670	2,850	93	4	42,972
	5	5,176	2,456	1,610	550	19	-	9,811
	6	273	186	168	49	3	2	681
	7	12	9	11	1	-	-	33
	<b>TOTAL----</b>	<b>35,552</b>	<b>18,444</b>	<b>15,854</b>	<b>4,339</b>	<b>146</b>	<b>9</b>	<b>74,344</b>
52	1-2	16	3	5	1	-	-	25
	3	1,264	606	487	94	5	-	2,456
	4	3,925	2,128	2,259	447	11	-	8,770
	5	1,213	716	864	136	1	-	2,930
	6	135	116	156	10	2	-	419
	7	3	14	7	-	1	-	25
	<b>TOTAL----</b>	<b>6,556</b>	<b>3,583</b>	<b>3,778</b>	<b>688</b>	<b>20</b>	<b>-</b>	<b>14,625</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 3, 2003

QUALITY	LEAF	STAPLE						
COLOR		35	36	37	38	39	40 &+	35 to 40+
		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	2	-	-	-	-	2
	3	33	14	14	2	-	-	63
	4	47	56	41	-	-	-	144
	5	13	11	24	-	1	-	49
	6	-	6	28	3	-	-	37
	7	1	-	1	-	-	-	2
<b>TOTAL----</b>		<b>94</b>	<b>89</b>	<b>108</b>	<b>5</b>	<b>1</b>	<b>-</b>	<b>297</b>
13 & 23	1-2	78	57	11	28	8	1	183
	3	231	191	149	25	5	-	601
	4	34	41	24	1	-	-	100
	5	4	7	-	-	-	-	11
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
<b>TOTAL----</b>		<b>347</b>	<b>296</b>	<b>184</b>	<b>54</b>	<b>13</b>	<b>1</b>	<b>895</b>
33	1-2	79	65	18	3	-	-	165
	3	1,217	1,141	907	200	5	-	3,470
	4	609	622	654	212	9	-	2,106
	5	51	20	18	18	3	-	110
	6	1	1	1	-	-	-	3
	7	-	-	-	-	-	-	-
<b>TOTAL----</b>		<b>1,957</b>	<b>1,849</b>	<b>1,598</b>	<b>433</b>	<b>17</b>	<b>-</b>	<b>5,854</b>
43	1-2	57	26	30	3	1	-	117
	3	1,895	1,850	1,158	301	19	-	5,223
	4	1,870	1,819	2,271	660	20	2	6,642
	5	221	213	286	112	1	-	833
	6	5	18	23	20	-	-	66
	7	7	-	-	1	-	-	8
<b>TOTAL----</b>		<b>4,055</b>	<b>3,926</b>	<b>3,768</b>	<b>1,097</b>	<b>41</b>	<b>2</b>	<b>12,889</b>
53	1-2	6	4	2	-	-	-	12
	3	366	304	318	66	5	-	1,059
	4	932	879	998	242	11	-	3,062
	5	286	360	508	72	4	-	1,230
	6	39	47	78	11	-	-	175
	7	-	1	4	4	-	-	9
<b>TOTAL----</b>		<b>1,629</b>	<b>1,595</b>	<b>1,908</b>	<b>395</b>	<b>20</b>	<b>-</b>	<b>5,547</b>
63	1-2	-	1	-	-	1	-	2
	3	5	8	5	1	-	-	19
	4	56	48	51	6	-	-	161
	5	53	39	28	2	-	-	122
	6	9	4	9	-	-	-	22
	7	2	-	1	-	-	-	3
<b>TOTAL----</b>		<b>125</b>	<b>100</b>	<b>94</b>	<b>9</b>	<b>1</b>	<b>-</b>	<b>329</b>
24-54	1-7	923	1,510	1,524	490	31	3	4,481
25-35	1-7	1	-	-	-	-	-	1
81-85 1/	1-7	194	293	345	111	17	-	960
All Colors	8 2/	24	9	11	1	-	-	45
<b>TOTAL, ALL----</b>		<b>1,894,632</b>	<b>948,703</b>	<b>513,202</b>	<b>135,690</b>	<b>38,755</b>	<b>5,594</b>	<b>3,536,576</b>
<b>EXTRANEEOUS MATTER</b>								
Bark - Level 1		132,248						
Bark - Level 2		161						
Grass - Level 1		68,905						
Grass - Level 2		1,088						
Prep - Level 1		17,623						
Prep - Level 2		207						
Other - Level 1		1,379						
Other - Level 2		5						

6,388,844 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Average Staple ----- 34.7  
Percent Tenderable ----- 73.9



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	0.1	0.2	0.5	1.0	1.4	1.5	1.3	1.2	0.7	0.3	*	8.3
	3	-	*	*	*	0.1	0.3	0.9	1.8	1.7	1.4	1.3	0.3	0.1	*	8.0
	4	-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.4	0.8	1.9	3.4	3.4	2.9	2.6	1.0	0.5	0.1	16.9
31	1-2	-	-	*	*	*	0.1	0.4	0.6	0.4	0.3	0.1	0.1	*	*	2.1
	3	-	*	*	*	0.1	0.6	4.5	12.0	10.3	4.3	1.7	0.3	0.1	*	33.8
	4	-	*	*	*	*	0.1	1.0	3.9	5.4	2.7	1.1	0.2	*	*	14.5
	5	-	*	*	*	*	*	*	0.2	0.3	0.1	0.1	*	*	*	0.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	*	0.2	0.8	5.9	16.7	16.3	7.4	3.0	0.6	0.1	*	51.2
41	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	3	-	-	*	*	*	0.2	1.5	4.0	3.3	1.1	0.4	0.1	*	*	10.7
	4	-	-	*	*	*	0.1	0.8	3.3	4.5	2.1	0.9	0.2	*	*	11.9
	5	-	-	*	*	*	*	0.1	0.3	0.6	0.4	0.2	0.1	*	*	1.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	0.4	2.5	7.6	8.4	3.6	1.6	0.3	*	*	24.5
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	3	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	*	*	*	1.0
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	1.0
	4	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	TOTAL----	-	*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	0.2	0.1	*	*	2.0
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	0.8
	4	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	*	*	*	1.3
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.2	0.4	0.6	0.6	0.3	0.2	0.1	*	*	2.4
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4

\* Less than 0.05 percent.



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
<b>TOTAL----</b>		-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	*	-	-	*
<b>TOTAL----</b>		-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
<b>TOTAL, ALL-----</b>		*	*	*	0.3	0.9	2.6	11.5	29.3	29.7	14.8	8.0	2.1	0.6	0.1	100.0
<b>EXTRANEIOUS MATTER</b>																
Bark - Level 1		2.1														
Bark - Level 2		*														
Grass - Level 1		1.1														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

6,388,844 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.4	0.6	0.6	0.3	*	*	-	-	2.1
	4	-	-	-	-	-	*	0.1	0.2	0.2	0.2	*	*	-	-	0.6
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.5	0.9	0.9	0.5	*	*	-	-	2.9
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	*	0.1	0.6	5.1	11.8	12.2	4.4	0.3	*	*	-	34.5
	4	-	-	-	*	*	0.2	4.3	9.9	8.3	4.3	0.4	*	*	-	27.5
	5	-	-	-	-	-	*	0.3	1.1	0.7	0.2	*	*	-	-	2.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.9	10.0	23.2	21.6	8.9	0.7	*	*	-	65.4
41	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	2.0	5.7	4.5	0.8	*	*	-	-	13.2
	4	-	-	-	-	*	0.1	1.6	4.7	4.2	1.4	0.2	*	*	-	12.2
	5	-	-	-	-	-	*	0.2	1.0	0.9	0.2	*	*	-	-	2.4
	6	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	4.0	11.5	9.7	2.5	0.3	*	*	-	28.2
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.1	*	*	*	-	-	0.6
61	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	4	-	-	-	-	-	*	0.2	0.4	0.3	*	*	-	-	-	0.9
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.3	0.8	0.5	0.1	*	*	-	-	1.8
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-	0.4

\* Less than 0.05 percent.



Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	0.1	1.2	15.1	37.1	33.1	12.1	1.1	0.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.9															Average Staple 34.4
Bark - Level 2	*															Percent Tenderable 91.3
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

248,425 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	1.2	7.5	21.2	20.0	6.2	0.4	*	*	56.6
	3	-	-	-	-	-	*	0.2	1.3	3.5	3.3	1.4	0.2	*	-	9.8
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	1.4	8.8	24.8	23.3	7.7	0.6	*	*	66.6
31	1-2	-	-	-	-	*	*	0.2	1.7	4.6	5.3	2.6	0.3	*	-	14.7
	3	-	-	-	-	-	*	0.1	0.8	2.0	2.5	1.5	0.4	*	-	7.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	2.5	6.8	8.0	4.2	0.7	*	-	22.5
41	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.7
	3	-	-	-	-	-	-	*	0.1	0.3	0.4	0.1	*	*	-	0.9
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.6	0.6	0.3	*	*	-	-	1.7
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.4	1.0	0.8	0.2	*	*	-	2.4
	3	-	-	-	-	-	*	*	0.2	0.8	0.7	0.3	*	*	-	2.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.7	1.8	1.6	0.5	*	*	-	4.7
32	1-2	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.8
	3	-	-	-	-	-	*	*	0.3	0.7	0.6	0.3	*	*	-	2.1
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.6	1.2	1.0	0.5	0.1	*	-	3.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	*	-	-	0.8
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*

\* Less than 0.05 percent.



Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.1	2.0	13.1	35.4	34.7	13.2	1.4	0.1	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.0															
Bark - Level 2	*															
Grass - Level 1	1.0															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

125,376 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. — *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	0.3	1.3	1.2	0.5	0.1	*	*	-	3.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.5	1.4	0.6	0.2	*	*	-	4.1
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	3	-	-	-	-	*	0.1	3.3	14.5	16.5	7.0	1.4	*	*	-	42.8
	4	-	-	-	-	*	*	0.5	4.7	11.2	5.1	0.7	*	*	-	22.3
	5	-	-	-	-	-	*	*	0.1	0.4	0.2	*	*	*	-	0.7
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	4.0	19.6	28.3	12.3	2.1	*	*	-	66.4
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.6	3.3	4.5	1.8	0.3	*	-	-	10.5
	4	-	-	-	-	*	*	0.3	3.1	7.6	3.8	0.6	*	*	-	15.5
	5	-	-	-	-	-	*	*	0.2	1.0	0.5	*	*	*	-	1.8
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	1.0	6.6	13.1	6.2	0.9	*	*	-	27.9
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.2	0.3	0.1	*	*	-	-	0.6
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	0.3	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	0.2	0.3	0.1	*	-	-	-	0.7
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.



Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

[illegible]

720.362 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

November 3, 2003																
QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	1.0	3.5	10.5	21.2	17.7	9.1	1.4	64.4
	3	-	-	-	-	-	*	*	0.2	1.0	4.1	8.3	4.1	2.6	0.4	20.6
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	1.1	4.5	14.6	29.7	21.9	11.7	1.8	85.6
31	1-2	-	-	-	-	-	*	*	0.1	0.4	0.7	1.0	1.8	1.0	0.2	5.2
	3	-	-	-	-	-	*	*	*	0.3	1.2	2.1	1.7	1.4	0.2	7.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.5	0.2	0.1	*	0.9
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.8	2.1	3.6	3.7	2.6	0.4	13.2
41	1-2	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.3
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	0.3
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	0.5
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.2
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*

\* Less than 0.05 percent.



Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	*	0.2	1.4	5.4	16.8	33.5	25.8	14.5	2.3	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

243,866 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.2
	4	-	-	-	-	-	-	*	0.1	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	-	0.4
31	1-2	-	-	-	-	-	0.1	0.6	0.9	0.2	*	-	-	-	-	1.7
	3	-	-	-	-	*	0.3	4.3	17.0	10.0	0.9	*	-	-	-	32.5
	4	-	-	-	-	-	*	0.4	2.0	2.2	0.4	*	-	-	-	5.1
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.4	5.3	19.9	12.3	1.3	0.1	-	-	-	39.3
41	1-2	-	-	-	-	-	0.1	0.3	0.4	0.1	-	-	-	-	-	0.9
	3	-	-	-	-	*	0.4	6.3	23.5	9.8	0.5	*	-	-	-	40.5
	4	-	-	-	-	-	*	1.1	6.9	4.2	0.5	*	-	-	-	12.7
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.5	7.8	30.8	14.1	1.0	*	-	-	-	54.2
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.2	1.9	0.7	*	-	-	-	-	2.8
	4	-	-	-	-	-	-	0.1	1.5	0.7	-	-	-	-	-	2.3
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.3	3.4	1.5	*	-	-	-	-	5.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.2	0.2	*	*	-	-	-	0.5
52	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	0.2	0.1	-	-	-	-	-	0.3

\* Less than 0.05 percent.



Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.8	13.6	54.8	28.4	2.3	0.1	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.7														Average Staple 34.2
Bark - Level 2		*														Percent Tenderable 84.7
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 2		-														

34,095 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 8. — **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	-	0.2	0.5	0.4	0.1	*	-	-	-	1.2
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.6	0.5	0.1	*	-	-	-	1.4
31	1-2	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	-	0.6
	3	-	-	-	*	*	0.3	4.8	14.2	10.0	1.6	0.2	*	-	-	31.2
	4	-	-	-	*	*	*	0.8	2.9	2.6	0.6	0.1	*	*	-	7.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.4	5.8	17.4	12.8	2.3	0.3	*	*	-	38.9
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.3	5.0	14.2	9.4	1.5	0.2	*	-	-	30.6
	4	-	-	-	-	*	0.2	2.4	8.3	8.3	2.3	0.7	0.1	*	-	22.1
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	-	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.5	7.4	22.7	18.0	3.8	0.9	0.1	*	-	53.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.2	0.6	0.5	0.2	0.1	*	-	-	1.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.0	0.8	0.2	0.2	*	*	-	2.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	4	-	-	-	-	*	*	0.2	0.6	0.5	0.2	*	*	*	-	1.5
	5	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.4	1.0	0.8	0.2	*	*	*	-	2.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8

\* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		1.1														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		0.5														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

544,623 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	0.3	-	0.1	-	-	-	-	-	-	-	-	0.4
	5	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	0.3	-	0.1	0.1	-	-	-	-	-	-	-	0.5
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	0.3	1.7	1.6	-	-	-	-	-	-	-	-	3.6
	4	-	-	-	0.3	1.6	2.2	0.1	-	-	-	-	-	-	-	4.2
	5	-	-	-	0.1	0.2	1.4	2.7	0.3	-	-	-	-	-	-	4.7
	6	-	-	-	0.1	0.1	0.9	2.0	0.3	-	-	-	-	-	-	3.3
	7	-	-	-	-	0.1	0.2	0.2	-	-	-	-	-	-	-	0.5
	TOTAL—	-	-	-	0.8	3.7	6.3	5.0	0.6	-	-	-	-	-	-	16.3
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	0.1	0.8	0.2	-	-	-	-	-	-	-	-	1.1
	4	-	-	0.3	0.6	2.2	0.2	0.1	-	-	0.1	-	-	-	-	3.3
	5	-	-	-	0.6	2.7	4.2	1.1	0.1	-	-	-	-	-	-	8.8
	6	-	-	-	1.3	0.8	7.6	6.6	2.7	0.1	-	-	-	-	-	19.1
	7	-	-	-	1.2	1.3	2.2	5.1	2.5	-	-	-	-	-	-	12.2
	TOTAL—	-	-	0.3	3.8	7.8	14.4	12.9	5.2	0.1	0.1	-	-	-	-	44.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	0.1	0.1	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	0.4	0.1	-	0.4	-	-	-	-	-	-	0.9
	TOTAL—	-	-	-	0.1	0.5	0.1	-	0.4	-	-	-	-	-	-	1.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	0.1	0.8	-	-	-	-	-	-	-	-	-	0.9
	4	-	-	-	0.1	0.3	0.4	-	-	-	-	-	-	-	-	0.8
	5	-	-	-	0.3	0.2	1.2	0.1	-	-	-	-	-	-	-	1.8
	6	-	-	-	-	0.1	0.4	0.1	0.1	-	-	-	-	-	-	0.8
	7	-	-	-	-	0.2	-	0.3	-	-	-	-	-	-	-	0.5
	TOTAL—	-	-	-	0.5	1.6	2.0	0.5	0.1	-	-	-	-	-	-	4.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	0.6	1.0	-	-	-	-	-	-	-	-	-	-	1.6
	5	-	-	-	0.6	1.3	1.2	0.3	-	-	-	-	-	-	-	3.4
	6	-	-	-	0.1	1.1	3.3	1.3	0.5	0.1	-	-	-	-	-	6.3
	7	-	-	-	0.1	1.0	0.8	0.9	1.0	0.1	-	-	-	-	-	4.0
	TOTAL—	-	-	0.7	1.8	3.5	5.4	2.5	1.4	0.2	-	-	-	-	-	15.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1
	TOTAL—	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	0.2

\* Less than 0.05 percent.

Table 9. - **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	0.1	0.6	-	-	-	-	-	-	-	0.7
	7	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.1
TOTAL----		-	-	-	-	-	0.1	0.7	0.1	-	-	-	-	-	-	0.8
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	0.2
TOTAL----		-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	1.2	1.9	1.2	5.2	6.0	0.5	0.1	-	-	-	-	16.1
TOTAL, ALL-----		-	-	0.9	8.5	18.9	29.6	26.8	14.2	1.0	0.1	-	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		8.4														Average Staple 32.2
Bark - Level 2		-														Percent Tenderable 4.0
Grass - Level 1		-														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

1,531 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. — *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.8	0.3	*	*	*	-	-	1.7
	3	-	-	-	-	*	0.1	1.0	2.1	1.0	0.2	0.1	*	-	-	4.5
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	1.6	2.9	1.3	0.3	0.1	*	*	-	6.4
31	1-2	-	-	-	-	*	0.1	0.7	1.1	0.3	0.1	*	*	-	-	2.2
	3	-	-	-	-	*	0.7	7.6	20.1	12.2	3.4	1.0	0.1	*	-	45.2
	4	-	-	-	-	*	*	0.8	4.3	4.8	2.0	1.4	0.3	*	-	13.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.9	9.1	25.6	17.5	5.6	2.5	0.5	*	-	61.6
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	0.2	1.8	4.8	3.2	0.8	0.2	*	*	-	11.0
	4	-	-	-	-	*	*	0.8	4.3	5.3	2.2	1.4	0.4	*	*	14.5
	5	-	-	-	-	-	*	*	0.2	0.6	0.5	0.7	0.3	*	*	2.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	2.6	9.3	9.2	3.6	2.3	0.7	*	*	27.9
51	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	0.1	0.1	0.1	*	*	-	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	*	-	-	1.0
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	0.1	0.3	0.3	0.1	*	*	*	-	-	0.8
	4	-	-	-	-	-	-	0.2	0.4	0.3	0.1	*	*	*	-	1.0
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.5	0.7	0.5	0.1	*	*	*	-	2.0
52	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	-	0.1	0.2	0.1	*	*	*	-	-	0.4

\* Less than 0.05 percent.



Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	1.6	14.3	39.2	29.0	9.7	4.9	1.2	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.8														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

771,997 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.1	0.8	1.9	1.0	0.2	*	*	*	-	4.0
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	1.0	2.3	1.2	0.3	*	*	*	-	5.0
31	1-2	-	-	-	-	*	0.1	0.3	0.5	0.2	*	*	-	-	-	1.1
	3	-	-	-	-	*	0.5	6.5	16.5	11.5	2.9	0.3	*	*	*	38.2
	4	-	-	-	-	*	0.1	1.8	7.6	8.6	3.4	0.6	0.1	*	-	22.2
	5	-	-	-	-	-	*	*	0.3	0.5	0.2	0.1	*	*	-	1.2
	6	-	-	-	-	-	*	*	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.6	8.7	24.9	20.8	6.6	0.9	0.1	*	*	62.6
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	1.3	3.4	2.8	0.7	0.1	*	*	-	8.3
	4	-	-	-	-	*	*	1.1	5.0	6.9	2.9	0.5	0.1	*	-	16.6
	5	-	-	-	-	*	*	0.1	0.7	1.4	0.7	0.2	*	*	-	3.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.2	2.5	9.1	11.1	4.4	0.8	0.1	*	-	28.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	0.6	0.5	0.1	*	*	-	-	1.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	*	*	-	1.2
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.3	0.8	0.7	0.2	*	*	*	-	2.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1

\* Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	-	-	*	1.0	12.9	38.0	34.5	11.6	1.8	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,283,083 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 12. — **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

November 3, 2003																
QUALITY	LEAF	STAPLE														
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.4	0.2	0.1	*	*	-	-	0.8
	3	-	-	-	-	-	*	0.4	3.4	3.5	1.3	0.3	*	-	-	8.9
	4	-	-	-	-	-	-	*	0.1	0.4	0.2	*	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.5	3.9	4.1	1.7	0.3	*	-	-	10.4
31	1-2	-	-	-	-	-	*	0.1	0.5	0.5	0.3	*	-	-	-	1.4
	3	-	-	-	-	-	*	0.9	9.6	20.2	13.0	3.4	*	-	-	47.2
	4	-	-	-	-	-	*	0.1	1.8	10.6	11.8	2.9	*	-	-	27.2
	5	-	-	-	-	-	-	-	*	0.4	0.6	0.1	-	-	-	1.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	1.1	12.0	31.7	25.7	6.5	*	-	-	77.0
41	1-2	-	-	-	-	-	*	*	0.4	1.8	1.4	0.5	*	-	-	0.1
	3	-	-	-	-	-	*	*	0.4	2.5	3.1	0.9	*	-	-	4.2
	4	-	-	-	-	-	*	*	0.4	2.5	3.1	0.9	*	-	-	7.0
	5	-	-	-	-	-	-	*	*	0.2	0.5	0.1	-	-	-	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.9	4.5	5.0	1.6	*	-	-	12.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 12. — **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

[illegible]

200,628 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 13. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.3	0.9	4.0	16.1	30.2	21.7	2.9	0.5	*	76.5
	3	-	-	-	-	-	*	*	*	0.1	1.2	2.7	2.9	2.3	-	9.4
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	1.0	4.0	16.3	31.4	24.4	5.9	2.8	*	86.1
31	1-2	-	-	-	-	-	*	0.1	0.1	2.1	1.7	0.6	0.3	0.1	-	5.0
	3	-	-	-	-	-	-	*	-	0.3	0.6	1.0	1.1	1.0	*	4.1
	4	-	-	-	-	-	-	-	-	-	-	-	0.3	0.5	*	0.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.1	2.4	2.3	1.5	1.8	1.5	*	9.9
41	1-2	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	0.1	*	0.1	0.1	*	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	0.2	0.1	0.1	0.1	*	-	0.5
51	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	-	*	*	0.1	0.5	0.1	-	-	0.8
	3	-	-	-	-	-	-	*	-	*	0.1	0.4	*	*	-	0.6
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.2	0.8	0.2	*	-	-	1.4
32	1-2	-	-	-	-	-	*	-	*	-	*	0.7	0.6	-	-	0.2
	3	-	-	-	-	-	-	-	-	-	-	*	0.5	-	-	1.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	*	-	0.1	0.8	1.2	-	-	2.0
42	1-2	-	-	-	-	-	-	-	-	-	-	-	*	*	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	0.1	*	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Less than 0.05 percent.



Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.4	1.1	4.2	18.9	34.1	27.7	9.2	4.4	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

5,539 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	0.2	0.3	0.3	0.2	*	*	-	-	1.0
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.4	0.4	0.2	*	*	-	-	1.2
31	1-2	-	-	-	-	-	*	0.2	0.3	0.3	0.1	*	-	-	-	0.9
	3	-	-	-	-	*	0.5	4.7	13.6	17.5	8.3	0.8	*	-	-	45.4
	4	-	-	-	-	-	*	0.9	3.8	4.6	2.5	0.4	*	-	-	12.3
	5	-	-	-	-	-	-	*	0.1	0.2	*	*	-	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.6	5.9	17.8	22.4	11.0	1.2	*	-	-	59.0
41	1-2	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.3	2.7	7.9	8.8	3.5	0.3	-	-	-	23.4
	4	-	-	-	*	*	*	0.9	3.8	5.1	2.7	0.3	*	-	-	12.9
	5	-	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	-	-	1.2
	6	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	3.7	12.2	14.5	6.4	0.6	*	-	-	37.8
51	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
32	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
42	1-2	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	*	0.2	0.2	*	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.2	0.5	0.3	0.1	*	*	-	-	1.1
52	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1

\* Less than 0.05 percent.

Table 14. — **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	1.0	10.1	31.1	38.0	17.8	1.9	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		-														
Grass - Level 1		1.3														
Grass - Level 2		-														
Prep - Level 1		0.5														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

159,307 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.1	0.7	3.0	8.7	16.2	16.6	7.7	0.4	*	-	53.5
	3	-	-	*	*	0.1	0.3	0.8	2.4	5.1	6.0	3.5	0.3	*	-	18.5
	4	-	-	*	*	0.1	*	*	0.1	0.2	0.2	0.1	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	0.1	0.3	1.0	3.8	11.2	21.5	22.9	11.3	0.6	*	-	72.9
31	1-2	-	-	*	*	*	0.2	0.9	1.8	2.6	1.8	0.1	-	-	-	7.6
	3	-	-	*	*	0.1	0.2	1.0	2.7	4.3	3.7	0.3	-	-	-	12.3
	4	-	-	-	*	0.1	0.1	0.1	0.1	0.2	0.5	0.4	*	*	-	1.5
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.2	0.5	2.0	4.7	7.4	5.9	0.5	*	-	21.5
41	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	-	-	-	0.3
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
51	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	-	-	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	*	*	0.1	0.2	0.4	0.1	*	-	-	-	0.8
	3	*	*	*	0.1	*	0.1	0.1	0.4	0.6	0.5	0.1	*	-	-	2.0
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		*	*	*	0.1	0.1	0.1	0.2	0.7	1.1	0.7	0.1	*	-	-	3.2
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	*	0.2	0.2	0.2	*	*	-	-	0.8
	4	-	-	-	*	*	*	*	*	*	0.2	0.1	-	-	-	0.4
	5	-	-	-	*	*	*	*	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.1	*	-	-	1.4
42	1-2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*

\* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	*	*	*	*	*	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	*	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	-	-	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	-	-	-	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		*	*	*	0.2	0.6	1.5	4.7	14.4	28.0	31.7	17.6	1.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

45,243 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 16. — **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	-	-	-	0.9
31	1-2	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	-	-	-	1.2
	3	-	-	-	-	*	0.6	4.5	11.3	10.1	2.9	0.2	*	-	-	29.7
	4	-	-	-	-	-	0.1	0.9	3.1	4.3	2.1	0.4	*	-	*	10.8
	5	-	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	0.9
	6	-	-	-	-	-	-	-	-	0.1	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.7	5.8	15.0	15.1	5.4	0.6	*	-	*	42.7
41	1-2	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.6	5.2	12.1	8.9	2.0	0.1	*	-	-	28.9
	4	-	-	-	-	*	0.2	2.2	8.0	8.7	3.0	0.6	0.1	*	-	22.7
	5	-	-	-	-	-	*	*	0.5	1.0	0.5	0.2	*	*	-	2.2
	6	-	-	-	-	-	-	*	*	0.1	*	-	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.8	7.5	20.8	18.8	5.5	0.9	0.1	*	-	54.4
51	1-2	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.2	0.2	*	-	*	-	-	0.5
61	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.3	0.4	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	0.1	0.1	*	-	-	-	-	-	0.2
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3

\* Less than 0.05 percent.

Table 16. — **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	-	0.1	1.6	13.9	36.8	34.9	11.1	1.5	0.2	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.5
		Percent Tenderable														92.7
Bark - Level 1		0.6														
Bark - Level 2		-														
Grass - Level 1		0.9														
Grass - Level 2		-														
Prep - Level 1		0.7														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

60,037 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 17. — **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.6	0.5	0.2	*	*	-	-	-	1.4
	3	-	-	-	-	-	0.1	1.7	3.0	1.8	0.7	0.2	*	-	-	7.5
	4	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.2	2.3	3.6	2.1	0.7	0.2	*	-	-	9.2
31	1-2	-	-	-	-	-	0.2	1.2	0.8	0.3	0.1	*	-	-	-	2.5
	3	-	-	-	-	-	0.7	9.5	23.0	18.5	6.7	1.2	*	-	-	59.5
	4	-	-	-	-	-	*	1.2	5.6	6.9	2.7	0.7	*	-	-	17.1
	5	-	-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.9	11.8	29.6	26.0	9.6	1.9	*	-	-	79.9
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	4.8
	3	-	-	-	-	-	0.1	0.8	1.9	1.4	0.6	0.1	-	-	-	4.1
	4	-	-	-	-	-	*	0.3	1.2	1.6	0.8	0.2	*	-	-	0.5
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	0.1	1.0	3.2	3.3	1.5	0.3	*	-	-	9.4
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	-	-	-	0.9
42	1-2	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

\* Less than 0.05 percent.

Table 17. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----			-	-	-	-	-	1.2	15.4	36.9	31.9	12.0	2.5	*	-	-	100.0	
EXTRANEEOUS MATTER																	Average Staple	34.5
																	Percent Tenderable	71.1
Bark - Level 1			0.3															
Bark - Level 2			-															
Grass - Level 1			0.1															
Grass - Level 2			-															
Prep - Level 1			*															
Prep - Level 2			-															
Other - Level 1			*															
Other - Level 1			-															

297,015 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 18. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	0.1	0.3	0.9	1.7	3.0	3.6	2.9	1.5	0.7	0.1	*	-	14.9
	3	-	*	*	0.1	0.4	0.9	1.8	2.6	3.4	3.6	3.4	0.5	*	*	16.8
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	*	*	0.1	*	*	1.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	0.1	0.4	1.4	2.7	5.0	6.5	6.6	5.4	4.4	0.6	*	*	33.1
31	1-2	-	-	*	*	0.2	0.4	0.6	0.7	0.5	0.3	0.1	*	-	-	2.8
	3	-	*	*	0.1	0.4	1.1	2.4	4.0	4.4	4.2	4.1	0.7	*	*	21.3
	4	-	*	*	*	0.1	0.3	0.6	1.1	1.5	1.6	2.2	0.6	*	*	7.9
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	0.2	0.6	1.7	3.7	5.9	6.5	6.1	6.5	1.4	0.1	*	32.7
41	1-2	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
	3	-	-	*	*	0.2	0.5	1.2	1.5	1.4	1.3	1.2	0.2	*	*	7.4
	4	-	-	*	*	0.1	0.3	0.6	0.9	1.3	1.4	1.7	0.4	*	*	6.5
	5	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.3	0.1	*	*	1.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.3	1.0	2.0	2.6	2.9	2.9	3.2	0.7	*	*	15.7
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.1	0.2	0.2	0.3	0.3	0.2	*	*	-	1.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
12 & 22	1-2	-	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	*	*	-	1.1
	3	-	*	*	*	0.2	0.3	0.3	0.3	0.2	0.2	0.2	*	*	-	1.8
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	0.1	0.4	0.6	0.7	0.5	0.3	0.2	0.3	*	*	-	3.2
32	1-2	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
	3	-	*	*	0.1	0.2	0.3	0.4	0.4	0.4	0.3	0.4	0.1	*	-	2.5
	4	-	*	*	*	0.1	0.2	0.3	0.2	0.3	0.3	0.4	0.1	*	*	1.9
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	-	-	-	*	-	-	-	-	*
	TOTAL----	-	*	*	0.1	0.4	0.6	0.8	0.7	0.7	0.6	0.8	0.2	*	*	4.9
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.3	0.2	*	*	-	1.8
	4	-	-	*	*	0.1	0.2	0.3	0.4	0.4	0.4	0.6	0.2	*	*	2.6
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.3	0.5	0.7	0.8	0.8	0.7	0.9	0.3	*	*	5.1
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.6
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	0.2	*	*	-	1.0

\* Less than 0.05 percent.

Table 18. -- **Texas** : Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2	
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*	
	3	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	-	0.3	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	-	*	*	*	-	*	-	*	-	-	-	*	
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
TOTAL----		-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	0.6	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4	
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	-	-	*	-	-	*	-	-	*	
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	1.0	
53	1-2	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	*	*	*	*	*	*	*	0.1	*	*	-	0.3	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*	
TOTAL----		-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.5	
63	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*	
	3	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
24-54	1-7	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.4	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
TOTAL, ALL-----		-	*	0.2	1.0	3.4	7.5	13.4	17.7	18.9	17.0	17.2	3.4	0.1	*	100.0	
EXTRANEIOUS MATTER																	
Bark - Level 1		6.5														34.8	
Bark - Level 2		*															
Grass - Level 1		3.4														62.1	
Grass - Level 2		0.1															
Prep - Level 1		0.7															
Prep - Level 2		*															
Other - Level 1		0.1															
Other - Level 1		*															

1,637,563 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
11 & 21	1-2	-	-	-	-	-	-	*	*	0.2	0.6	*	-	-	-	0.9
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	0.1	0.2	0.6	*	-	-	-	0.9
31	1-2	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	-	-	2.2	10.7	17.1	21.8	3.9	*	-	-	55.7
	4	-	-	-	-	-	-	0.5	5.7	12.0	7.5	1.4	-	-	-	27.1
	5	-	-	-	-	-	-	0.1	0.3	0.7	0.3	0.1	*	-	-	1.5
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	2.8	16.8	29.9	29.6	5.4	*	-	-	84.5
41	1-2	-	-	-	-	-	-	*	0.6	1.1	1.5	0.3	-	-	-	3.6
	3	-	-	-	-	-	-	-	0.1	1.6	3.6	1.8	0.3	-	-	7.4
	4	-	-	-	-	-	-	-	*	0.4	0.7	0.4	0.1	*	-	1.6
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	2.5	5.5	3.7	0.7	*	-	-	12.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	*	*	0.1	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	0.2	0.1	-	-	-	-	0.4
	4	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.4	0.3	-	-	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	0.1	0.5	0.1	-	-	-	-	0.6
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.6	0.2	-	-	-	-	0.9
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*

\* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 3, 2003

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	0.1	-	-	-	-	0.1		
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	*	0.1	*	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/ All Colors	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	-	0.1	3.0	19.6	36.7	34.5	6.2	*	-	-	100.0		
EXTRANEEOUS MATTER																	Average Staple	35.2
Bark - Level 1		0.2															Percent Tenderable	96.5
Bark - Level 2		-																
Grass - Level 1		0.4																
Grass - Level 2		-																
Prep - Level 1		0.1																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

10,154 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 20. — Percentage distribution of mike and fiber strength for upland cotton classed through November 3, 2003

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>MIKE</b> 24 & below	-	*	-	*	-	-	-	-	-
25	-	*	-	*	-	-	-	-	-
26	*	*	-	*	-	-	-	*	*
27	*	*	-	*	-	*	-	*	*
28	*	*	*	*	-	*	-	*	*
29	*	*	*	0.1	-	*	1.0	*	*
30	*	*	*	0.1	-	*	1.6	*	*
31	*	*	*	0.3	*	*	1.5	*	*
32	*	*	*	0.5	*	*	1.6	*	*
33	0.1	*	*	1.0	*	*	0.7	*	0.1
34	0.1	0.1	0.1	1.8	*	*	0.8	0.1	0.1
35	0.3	0.1	0.1	2.6	*	0.1	0.1	0.2	0.2
36	0.7	0.2	0.2	3.9	*	0.2	0.1	0.3	0.3
37	1.3	0.4	0.3	5.3	0.1	0.4	2.7	0.4	0.6
38	2.3	0.6	0.6	7.0	0.2	0.9	4.1	0.6	0.9
39	3.4	1.0	1.1	8.8	0.3	1.6	3.5	0.8	1.5
40	5.2	1.6	1.7	10.2	0.9	2.8	5.9	1.3	2.2
41	7.3	2.8	2.3	10.4	1.7	4.7	7.0	1.9	3.1
42	9.4	3.5	3.4	10.5	3.5	7.9	6.7	3.0	4.3
43	10.9	4.8	5.0	9.4	5.1	12.6	9.7	4.6	5.9
44	12.0	6.0	7.1	8.2	6.4	16.1	6.9	7.2	7.7
45	12.1	7.4	9.0	6.8	10.7	17.2	12.1	11.1	10.1
46	11.7	9.1	10.8	5.0	17.0	14.4	11.7	15.0	12.5
47	9.7	10.2	12.0	3.3	19.0	10.3	6.9	16.4	13.4
48	6.9	10.9	12.1	2.1	14.4	6.0	8.4	14.5	12.1
49	3.9	10.6	11.2	1.3	9.3	3.0	5.6	10.5	9.4
50	1.5	9.7	9.1	0.6	5.6	1.0	1.4	6.3	6.8
51	0.8	8.1	6.6	0.4	3.6	0.4	-	3.2	4.8
52	0.2	5.4	4.4	0.1	1.8	0.2	-	1.5	2.3
53	*	3.6	1.9	0.1	0.3	*	-	0.6	1.1
54	*	2.2	0.7	*	*	*	-	0.3	0.4
55	*	1.2	0.2	0.1	*	*	-	0.1	0.1
56	-	0.3	0.1	*	-	-	-	*	*
57	-	0.1	*	-	-	-	-	*	*
58	-	*	*	-	-	-	-	-	*
59	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>44</b>	<b>47</b>	<b>47</b>	<b>41</b>	<b>46</b>	<b>44</b>	<b>43</b>	<b>48</b>	<b>47</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	*	-	-	-
20	-	*	-	-	-	*	-	*	-
21	-	*	-	-	*	*	-	*	*
22	*	*	*	*	*	*	-	0.1	0.1
23	0.1	0.1	0.4	*	0.1	0.1	2.6	0.6	0.7
24	0.5	0.6	2.3	0.2	0.7	0.8	2.0	2.5	3.3
25	1.9	2.8	8.1	0.3	2.8	3.1	10.0	8.5	9.5
26	7.4	8.0	18.1	0.7	11.0	9.0	15.0	19.7	19.2
27	19.9	15.1	26.5	1.4	29.3	20.2	13.8	26.7	26.1
28	28.0	19.1	23.8	2.7	28.4	27.7	19.4	20.2	21.5
29	21.7	20.1	12.8	5.7	16.6	20.8	9.7	10.3	11.5
30	12.1	16.4	12.3	2.5	8.1	11.8	15.5	4.9	5.1
31	5.8	9.8	19.3	0.4	2.5	4.6	11.3	3.0	2.1
32	2.1	4.6	26.2	0.1	19.3	1.4	0.7	2.0	0.7
33	0.5	2.2	8.2	*	26.2	0.4	-	1.1	0.2
34	0.1	1.0	2.5	*	20.4	0.1	-	0.4	*
35	*	0.3	0.1	-	8.2	*	-	0.1	*
36 & above	-	*	0.1	-	2.5	-	-	-	-
<b>Average strength</b>	<b>28.3</b>	<b>28.8</b>	<b>28.4</b>	<b>32.6</b>	<b>27.8</b>	<b>28.2</b>	<b>28.8</b>	<b>28.4</b>	<b>28.2</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through  
November 3, 2003

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>MIKE</b> 24 & below	-	-	-	*	-	-	*	-	*
25	-	-	-	*	-	-	*	-	*
26	-	-	-	-	-	*	*	-	*
27	-	-	-	*	-	*	*	-	*
28	*	-	-	*	*	*	*	-	*
29	*	-	*	*	*	*	*	-	*
30	*	-	*	*	*	*	0.1	-	*
31	*	0.1	*	0.1	0.1	*	0.1	-	*
32	*	0.4	*	0.1	0.1	*	0.1	*	0.1
33	0.1	0.6	*	*	0.3	*	0.2	-	0.1
34	0.1	0.8	0.1	0.1	0.6	*	0.3	0.1	0.2
35	0.2	1.6	0.3	0.1	1.1	0.1	0.5	0.3	0.3
36	0.5	1.9	0.8	0.1	1.5	0.2	0.9	1.0	0.6
37	0.9	3.7	1.7	0.1	2.7	0.3	1.3	1.8	0.9
38	1.8	6.4	3.2	0.1	4.2	0.6	1.9	4.7	1.4
39	3.2	7.8	5.4	0.3	6.3	1.1	2.6	8.0	2.0
40	4.5	10.5	8.4	0.6	8.7	1.7	3.4	9.6	2.9
41	5.6	9.4	12.0	1.1	11.9	2.7	4.6	11.3	3.9
42	7.1	13.5	14.7	2.1	14.5	3.9	6.2	14.6	5.3
43	8.2	10.5	15.1	4.2	15.4	5.2	7.7	16.6	6.8
44	8.9	8.9	13.2	6.8	13.2	6.8	8.9	11.4	8.2
45	9.8	7.4	9.9	8.4	9.7	8.4	9.6	8.6	9.4
46	9.9	4.8	7.1	9.4	5.1	9.8	10.0	6.1	10.4
47	10.3	3.6	4.2	11.9	2.8	10.5	10.1	3.4	11.0
48	8.9	3.4	2.3	10.9	1.2	10.9	9.5	1.7	10.5
49	7.5	1.6	1.2	10.9	0.5	10.5	8.1	0.6	9.1
50	5.6	1.4	0.3	10.1	*	9.5	6.0	0.1	6.8
51	3.7	0.9	0.1	7.4	*	7.8	3.8	0.1	4.6
52	2.0	0.4	*	5.4	*	5.5	2.2	-	2.9
53	0.8	0.2	*	4.1	*	2.8	1.1	-	1.4
54	0.2	*	*	3.2	*	1.1	0.5	-	0.6
55	*	*	*	1.6	*	0.4	0.2	-	0.2
56	*	-	*	0.6	*	*	0.1	-	0.1
57	*	-	-	0.3	-	*	*	-	*
58	-	-	-	0.1	-	*	*	-	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>45</b>	<b>42</b>	<b>43</b>	<b>48</b>	<b>42</b>	<b>47</b>	<b>45</b>	<b>42</b>	<b>46</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	*	-	*
18	-	-	-	-	-	-	*	-	*
19	-	-	-	*	-	-	*	-	*
20	-	-	-	-	-	-	*	-	*
21	-	-	*	*	-	-	*	-	*
22	-	-	*	*	*	-	0.1	-	*
23	-	*	*	0.1	*	*	0.4	*	0.1
24	*	0.1	0.6	0.2	0.3	0.1	1.3	0.2	0.7
25	0.7	0.5	3.7	1.0	2.4	1.3	3.2	1.9	2.7
26	3.7	1.6	12.9	3.9	8.0	6.9	5.1	7.3	7.3
27	10.2	5.7	23.8	11.6	17.7	19.0	8.0	18.8	15.4
28	19.2	15.4	24.5	18.1	24.3	27.9	10.9	29.0	21.2
29	25.6	21.1	17.4	17.5	22.5	23.0	12.5	24.4	18.6
30	22.6	16.8	9.4	13.7	13.1	12.6	13.2	11.5	12.2
31	12.8	13.2	4.6	12.0	6.7	5.8	14.3	4.4	8.1
32	4.2	13.5	2.0	10.5	3.4	2.4	15.1	1.7	6.3
33	0.7	8.9	0.9	7.3	1.1	0.7	10.4	0.6	4.4
34	0.2	2.9	0.2	3.1	0.4	0.3	4.1	0.2	2.1
35	0.1	0.3	*	0.7	*	0.1	1.1	-	0.7
36 & above	"	"	*	0.2	*	*	0.2	-	0.2
<b>Average strength</b>	<b>29.1</b>	<b>30.0</b>	<b>28.0</b>	<b>29.6</b>	<b>28.5</b>	<b>28.4</b>	<b>29.9</b>	<b>28.3</b>	<b>28.9</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.



Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 3, 2003

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>UNIFORMITY 1/</b>									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	*	-	-	*	*	-	-	-
76	*	*	-	-	*	*	-	*	*
77	0.1	0.2	*	-	0.1	0.3	0.1	1.2	0.2
78	0.7	1.4	*	0.1	1.6	3.2	3.9	10.6	2.9
79	4.2	9.0	1.0	1.1	11.5	14.9	9.0	27.7	13.4
80	14.8	30.5	7.2	6.4	37.3	36.5	43.5	30.9	28.9
81	28.5	38.5	27.2	26.7	34.8	31.7	26.8	22.0	36.8
82	34.1	17.0	47.0	45.9	12.8	11.5	16.7	6.8	15.8
83	15.8	3.1	15.9	17.5	1.8	1.8	-	0.7	2.0
84	1.8	0.4	1.7	2.2	0.1	0.1	0.1	*	*
85	*	*	*	0.1	-	*	-	*	-
86	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.5</b>	<b>80.7</b>	<b>81.7</b>	<b>81.8</b>	<b>80.5</b>	<b>80.4</b>	<b>80.4</b>	<b>80.9</b>	<b>81.5</b>
<b>TRASH 2/</b>									
0.0	-	*	*	*	-	*	-	-	*
0.1	*	34.2	0.2	34.1	0.2	0.2	-	0.5	0.3
0.2	2.2	44.2	5.4	46.1	5.6	5.8	0.1	8.9	6.6
0.3	11.8	15.4	21.0	14.9	21.5	19.3	1.6	24.4	20.7
0.4	20.7	3.7	25.9	3.3	31.7	29.1	3.6	24.0	23.3
0.5	20.7	1.2	19.5	1.0	21.8	21.1	5.9	16.6	17.6
0.6	18.4	0.6	14.9	0.5	11.6	12.1	5.4	12.5	14.7
0.7	10.7	0.2	6.7	0.1	4.7	6.4	5.6	5.8	7.2
0.8	6.9	0.2	3.6	0.1	1.9	3.4	5.0	3.5	4.7
0.9	4.1	0.1	1.7	*	0.7	1.5	6.3	1.9	2.6
1.0	2.1	0.1	0.7	*	0.2	0.7	8.1	0.9	1.3
1.1	1.0	*	0.2	*	*	0.2	6.7	0.4	0.5
1.2	0.6	*	0.1	*	*	0.1	8.4	0.2	0.3
1.3	0.4	*	*	*	*	0.1	6.2	0.2	0.2
1.4	0.1	*	*	-	*	*	7.1	*	*
1.5	0.1	*	*	-	*	*	7.8	*	*
1.6	*	*	*	-	-	*	3.2	*	*
1.7	*	-	*	-	-	*	2.9	*	*
1.8 & above	*	-	*	-	-	*	15.9	*	*
<b>Average trash</b>	<b>0.55</b>	<b>0.20</b>	<b>0.47</b>	<b>0.19</b>	<b>0.44</b>	<b>0.46</b>	<b>1.16</b>	<b>0.45</b>	<b>0.48</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 3, 2003

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>UNIFORMITY 1/</b>									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	*	-	*
76	-	-	-	*	*	-	*	-	*
77	-	0.1	*	0.1	*	*	0.3	-	0.1
78	*	1.0	0.4	1.1	1.1	0.2	1.9	0.1	1.0
79	0.3	7.2	3.4	5.3	7.6	1.5	7.7	0.7	5.9
80	3.2	25.6	13.4	16.0	24.7	8.0	18.1	4.2	17.4
81	22.2	35.4	32.1	33.7	34.1	28.1	28.3	20.6	29.1
82	49.5	24.2	36.3	30.6	24.7	42.7	28.4	41.5	32.1
83	21.7	6.2	13.0	11.6	7.1	17.7	13.3	28.3	12.7
84	3.0	0.3	1.3	1.5	0.7	1.8	1.9	4.5	1.6
85	0.1	-	*	*	*	*	0.1	0.1	*
86	-	-	-	-	-	-	*	-	*
87	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>82.0</b>	<b>80.9</b>	<b>81.5</b>	<b>81.3</b>	<b>81.0</b>	<b>81.7</b>	<b>81.2</b>	<b>82.1</b>	<b>81.3</b>
<b>TRASH 2/</b>									
0.0	-	*	-	0.2	-	-	*	-	*
0.1	0.6	47.2	0.1	35.4	0.1	1.0	9.0	*	4.8
0.2	9.5	31.6	3.6	40.4	3.5	12.7	22.8	1.5	13.4
0.3	24.5	13.0	18.2	15.8	14.6	27.8	24.6	13.8	21.7
0.4	25.6	4.8	25.7	4.5	22.2	25.1	16.2	25.2	21.2
0.5	18.0	2.2	20.5	2.1	19.7	15.6	10.0	21.7	15.1
0.6	12.0	0.9	16.4	0.9	17.8	9.8	7.1	17.8	11.2
0.7	5.3	0.2	7.3	0.3	8.9	4.2	3.7	8.2	5.5
0.8	2.6	0.1	4.2	0.2	6.0	2.2	2.4	5.1	3.3
0.9	1.1	-	2.1	0.1	3.5	1.0	1.6	3.0	1.8
1.0	0.5	-	1.0	*	1.9	0.5	0.9	1.8	0.9
1.1	0.1	-	0.4	*	0.7	0.1	0.5	0.8	0.4
1.2	*	-	0.2	*	0.4	*	0.4	0.6	0.2
1.3	*	-	0.2	*	0.4	*	0.3	0.4	0.2
1.4	*	-	0.1	*	0.2	*	0.2	0.1	0.1
1.5	*	-	*	*	*	*	0.1	-	*
1.6	*	-	*	-	*	*	*	*	*
1.7	*	-	*	-	*	*	*	*	*
1.8 & above	*	-	*	-	*	*	0.1	*	*
<b>Average trash</b>	<b>0.43</b>	<b>0.19</b>	<b>0.49</b>	<b>0.20</b>	<b>0.53</b>	<b>0.41</b>	<b>0.38</b>	<b>0.53</b>	<b>0.43</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. \* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through November 3, 2003

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	11.9	22.7	13.5	36.8	21.0
	2	6.4	1.1	3.1	7.1	1.2
	3	0.0	0.0	0.5	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		18.3	23.9	17.1	43.9	22.2
02	1	9.9	69.6	21.6	17.5	63.8
	2	41.6	5.0	51.5	35.7	5.7
	3	27.5	0.0	6.5	2.5	0.4
	4	0.5	0.0	0.0	0.1	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		79.5	74.7	79.6	55.8	70.0
03	1	0.0	1.0	0.0	0.0	1.0
	2	0.2	0.5	0.9	0.1	0.5
	3	0.7	0.0	2.4	0.2	0.1
	4	0.5	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		1.5	1.5	3.3	0.3	1.5
04	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.7	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.7	0.0	0.0	0.1	0.1
05	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.0	0.0	0.0	0.0	0.1
06	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.0	0.0	0.0	0.0	0.1
07	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total -----		0.0	0.0	0.0	0.0	0.1
STAPLE						
40 & shorter		0.0	0.0	0.0	0.0	0.1
42		0.2	0.0	0.5	0.0	0.1
44		42.8	1.9	15.6	13.8	2.4
46		52.0	42.6	73.3	77.5	40.3
48 & longer		5.0	55.6	10.5	8.7	50.9
Average		45.2	47.1	45.9	45.9	44.0
UNIFORMITY						
72 & below		0.0	0.0	0.0	0.0	0.1
73		0.0	0.0	0.0	0.0	0.1
74		0.0	0.0	0.0	0.0	0.1
75		0.0	0.0	0.0	0.0	0.1
76		0.0	0.0	0.0	0.0	0.1
77		0.0	0.0	0.0	0.0	0.1
78		0.0	0.0	0.0	0.0	0.1
79		0.0	0.0	0.0	0.0	0.1
80		0.2	0.0	0.0	0.0	0.1
81		0.0	0.0	0.0	0.0	0.1
82		3.2	0.2	0.0	0.0	0.3
83		28.0	2.1	1.3	0.3	2.3
84		41.8	16.1	7.6	3.5	15.2
85		23.0	41.5	28.0	23.6	38.5
86		3.2	32.8	38.2	52.5	30.5
87		0.5	7.2	20.7	17.0	6.9
88		0.0	0.1	4.2	2.9	0.2
89		0.0	0.0	0.0	0.2	0.1
90 & above		0.0	0.0	0.0	0.0	0.1
Average		84.0	85.3	85.8	85.9	79.7
BALES CLASSED		404	37,140	550	2,692	40,786

\* Less than 0.05 percent.



Table 22. -- Quality of American Pima cotton classed for producers by State and United States through November 3, 2003

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	0.0	0.0	0.0	0.0	-
25 - 26	0.0	0.0	0.0	0.0	-
27 - 29	0.0	0.0	0.0	0.0	-
30 - 32	0.2	0.0	0.0	0.0	*
33 - 34	2.2	0.1	0.0	0.0	0.1
35 - 36	3.2	0.7	0.0	0.0	0.7
37 - 42	93.8	73.2	12.9	2.9	68.0
43 - 49	0.5	26.0	86.9	97.1	31.2
50 - 52	0.0	0.0	0.2	0.0	*
53 & above	0.0	0.0	0.0	0.0	-
Average	39	41	45	45	39
ALL MIKE					
24 & below	0.0	0.0	0.0	0.0	0.1
25	0.0	0.0	0.0	0.0	0.1
26	0.0	0.0	0.0	0.0	0.1
27	0.0	0.0	0.0	0.0	0.1
28	0.0	0.0	0.0	0.0	0.1
29	0.0	0.0	0.0	0.0	0.1
30	0.0	0.0	0.0	0.0	0.1
31	0.0	0.0	0.0	0.0	0.1
32	0.2	0.0	0.0	0.0	0.1
33	0.7	0.0	0.0	0.0	0.1
34	1.5	0.1	0.0	0.0	0.2
35	1.0	0.2	0.0	0.0	0.3
36	2.2	0.5	0.0	0.0	0.5
37	6.2	1.6	0.2	0.0	1.6
38	22.3	4.7	0.7	0.0	4.6
39	22.5	9.7	0.4	0.0	9.1
40	25.2	16.0	1.1	0.0	14.9
41	14.9	21.5	3.3	0.3	19.8
42	2.7	19.7	7.3	2.6	18.1
43	0.5	13.7	13.6	11.1	12.7
44	0.0	7.1	15.8	22.6	6.7
45	0.0	3.3	23.1	22.8	3.4
46	0.0	1.4	17.3	25.9	1.6
47	0.0	0.3	8.4	12.3	0.5
48	0.0	0.0	6.2	2.1	0.1
49	0.0	0.0	2.5	0.3	0.1
50	0.0	0.0	0.2	0.0	0.1
51	0.0	0.0	0.0	0.0	0.1
52	0.0	0.0	0.0	0.0	0.1
53	0.0	0.0	0.0	0.0	0.1
54	0.0	0.0	0.0	0.0	0.1
55	0.0	0.0	0.0	0.0	0.1
56	0.0	0.0	0.0	0.0	0.1
57	0.0	0.0	0.0	0.0	0.1
58	0.0	0.0	0.0	0.0	0.1
59	0.0	0.0	0.0	0.0	0.1
60 & above	0.0	0.0	0.0	0.0	0.1
Average	39	41	45	45	39
Strength					
17 & below	0.0	0.0	0.0	0.0	-
18	0.0	0.0	0.0	0.0	-
19	0.0	0.0	0.0	0.0	-
20	0.0	0.0	0.0	0.0	-
21	0.0	0.0	0.0	0.0	-
22	0.0	0.0	0.0	0.0	-
23	0.0	0.0	0.0	0.0	-
24	0.0	0.0	0.0	0.0	-
25	0.0	0.0	0.0	0.0	-
26	0.0	0.0	0.0	0.0	-
27	0.0	0.0	0.0	0.0	-
28	0.0	0.0	0.0	0.0	-
29	0.0	0.0	0.0	0.0	-
30	0.0	0.0	0.0	0.0	-
31	0.0	0.0	0.0	0.0	-
32	0.2	0.0	0.0	0.0	*
33	3.0	0.0	0.0	0.0	*
34	8.7	0.0	0.0	0.0	0.1
35	13.6	0.0	0.0	0.0	0.2
36	17.3	0.2	0.2	0.3	0.3
37	24.0	0.7	0.9	1.3	0.9
38	14.9	2.4	6.4	3.9	2.7
39	9.4	6.7	15.5	11.1	7.2
40	5.9	14.2	24.0	28.5	15.2
41	2.2	20.8	20.5	34.8	21.6
42	0.7	23.1	16.5	14.5	22.2
43	0.0	17.6	7.8	4.2	16.2
44	0.0	10.1	5.8	1.1	9.3
45 & above	0.0	4.1	2.4	0.3	3.8
Average	36.8	41.7	40.8	40.6	39.0
EXTRANEEOUS MATTER					
Bark	2.0	0.0	0.0	0.0	*
Grass	0.0	0.0	0.7	0.0	*
Spindle Twist	0.0	0.0	0.0	0.1	*
Preparation	0.0	0.0	0.0	0.0	*

\* Less than 0.05 percent.



